











MOHOTNAGAR ('D' CLASS)  
KM.- 2.55




# **JALPAIGURI** 'B' CLASS/STD.-II(R)/EI KM.-8.240 FROM RQJ

DN. ← → UP

**NOTE FOR STANDBY BOOM FOR L.C. GATE NO. RH/4:-**  
1) STANDBY BOOM TO BE OPERATED ONLY WHEN THE LIFTING BARRIER BECOME INOPERATIVE.  
2) FOR GATE CLOSED INDICATION KEY 'N' IS TO BE INSERTED & TURNED IN KT.  
3) EMERGENCY SWITCH FOR ROAD SIGNAL IS TO BE THROWN TO 'OFF' POSITION BEFORE SLIDING BOOMS ARE OPERATED.

**NOTE FOR STANDBY BOOM FOR L.C. GATE NO. RH/5:-**  
1) STANDBY BOOM TO BE OPERATED ONLY WHEN THE LIFTING BARRIER BECOME INOPERATIVE.  
2) FOR GATE CLOSED INDICATION KEY 'Q' IS TO BE INSERTED & TURNED IN KT.  
3) EMERGENCY SWITCH FOR ROAD SIGNAL IS TO BE THROWN TO 'OFF' POSITION BEFORE SLIDING BOOMS ARE OPERATED.



KADABARI HALT

KM.- 12.78



MANDAL GHAT (D' CLASS)  
KM.- 18.63



KASHIABARI ('D' CLASS)

KM.- 24.55

